

BIDDING DOCUMENTS FOR THE
JEFFERSON DAVIS PARISH POLICE JURY

PROJECT NAME: 2026 JDPPJ OVERLAY

PROJECT NUMBER: 2025009

MAY 2026



**OWNER:
JEFFERSON DAVIS PARISH POLICE JURY
304 N. STATE STREET
JENNINGS, LA 70546
337-824-4792**

Bids Due May 29th, 2026 – 12:00 PM CST

Table of Contents

	<u>Page No.</u>
REQUEST FOR BIDS	1
SCOPE OF WORK	4
GENERAL & SUPPLEMENTAL SPECIFICATIONS	6
ALTERNATE 1	11
ADDITIONAL TERMS AND CONDITIONS	12
REQUIRED DOCUMENTS	
LOUISIANA UNIFORM PUBLIC WORK BID FORM	14
UNIT PRICE FORM	15
BID BOND	17
10-DAY DOCUMENTS	
NOTICE OF AWARD	18
NON-COLLUSION AFFIDAVIT	19
ATTESTATIONS AFFIDAVIT	20
AFFIDAVIT OF EMPLOYEE VERIFICATION	22
CONTRACT	23
OTHER DOCUMENTS	
NOTICE TO PROCEED	28
CHANGE ORDER	29
ATTACHMENTS	
A – OVERLAY TABLES	i
B – PLAN SHEETS	ii
B – ASPHALT COOP CONTRACT	iii

REQUEST FOR BIDS

Bidders are hereby invited to submit a bid on the subject project.

FOR: JEFFERSON DAVIS PARISH POLICE JURY (JDPPJ) (OWNER)
PROJECT NAME: 2026 JDPPJ OVERLAY
PROJECT # 2025009

General Scope:

- Grade Shoulder for widening
- Furnish and Install Asphaltic Concrete for Leveling Course (approximately 9,073 tons)
- Furnish and Install Asphaltic Concrete for Wearing Course (approximately 8,941 tons)
- Furnish and Install Asphaltic Concrete for Drives & Turnouts (approximately 136 tons)

Alternate 1:

- Haul and Install Owner furnished Asphaltic Concrete for Leveling Course (same quantity as Base Bid)
- Haul and Install Owner furnished Asphaltic Concrete for Wearing Course (same quantity as Base Bid)

BID SCHEDULE

Milestone

Date

Bid Advertisement

April 29, 2026

Bid Publications

April 29, May 6, & May 13 2026

Questions Due for Bid

May 15, 2026

Publication of Addenda/Responses

May 22, 2026 (if applicable)

Submission Deadline

May 29, 2026 – 12:00 PM CST

(If Applicable, Bids will be opened on this same date and time at 304 N. State Street, Jennings LA)

Notice of Award (tentative)

June 12, 2026

Notice to Proceed

Following Receipt of Executed 10-Day Documents.

BID DOCUMENTS:

Official bid documents can be obtained from the Police Jury's website: www.jdppj.net or at www.centralbidding.com.

BID SUBMITALLS:

Bids can be mailed or hand delivered to the Jefferson Davis Parish Police Jury in a sealed envelope, located at 304 N. State Street, Jennings LA 70546. Bids can also be electronically submitted through at Central Bidding (www.centralbidding.com). For questions related to the electronic bidding process, please call Central Bidding at 225-810-4814. Bid will be listed by Owner and will include Project Number. Submittals must be submitted by the date and time listed on the BID Schedule. Digital submittals shall be in PDF format. JDPPJ is not responsible for issues with delivery service. All cover letters and subject of all emails shall include project number. Submittals must include all required documents contained in this package, completed in full, particularly those listed under “Documents Required with Submittal” in the Table of Contents.

WRITTEN INQUIRIES:

Formal questions for bid shall be directed to the Parish Administrator in written form and emailed to: ben@jdppj.net. Responses to formal inquiries and/or addenda(s) will be published on JDPPJ’s website: www.jdppj.net and on www.centralbidding.com by the date and time listed on the Bid Schedule and will be considered part of the original Bid.

QUALIFIED SUBMITTALS:

Only submittals that meet all of the requirements of this Bid, and submitted by the date and time listed on the Bid Schedule will be considered valid and thus accepted. This includes signing all necessary documents in the Bid as well as any attachments.

EQUAL OPPORTUNITY

The JDPPJ encourages Minority-owned Business Enterprises (MBEs), Woman-owned Business Enterprises (WBEs) and Section 3 eligible businesses to submit proposals.

PREBID MEETING:

The Owner will make a reasonable effort to meet prospective bidders onsite upon request. Attendance at a formal site visit with the Owner is not required; however, it shall be the Bidder’s responsibility to visit the site as necessary and to verify all quantities, measurements, site conditions, Scope of Work, and bid requirements prior to submitting a bid.

BID OPENING:

Bids shall be opened by the date and time listed on the Bid Schedule and read aloud at the Jefferson Davis Parish Police Jury Office, located at 304 N. State Street, Jennings, LA 70546.

LICENSES:

Bids shall be accepted only from General Contractors licensed under LA. R.S. 37:2150-2192. Either the prime contractor or sub-contractor must have necessary classification(s) to perform all task listed in the scope of work. Bidder is required to comply with provisions and requirements of LA R.S. 38:2212(B)(5). No bid may be withdrawn for a period of forty-five (45) days after receipt of bids, except under the provisions of LA. R.S. 38:2214.

INSURANCE REQUIREMENTS:

General Liability: \$1,000,000.00 per occurrence with \$2,000,000.00 general aggregate.

Automobile Liability: \$1,000,000.00 per occurrence.

Workers’ Compensation: As listed in Title 23 of LA Revised Statutes.

Owner shall be listed as additional insured.

Contractor must maintain all required insurance policies through the completion of the project.

BID BOND:

A bid bond will be required with bid submittal if bid is over \$50,000.

PERMITS:

Contractor is responsible for acquiring permits necessary to complete the project's scope of work.

EMPLOYEE VERIFICATION REQUIREMENTS:

In accordance with Louisiana law (§2212.10), all bidders must be registered with and participate in the federal E-Verify program to verify the employment eligibility of all new employees in Louisiana. Compliance with these requirements must be in place prior to bidding, and a sworn affidavit of compliance shall be required from the selected contractor and subcontractors.

SCOPE OF WORK

ROAD WIDENING

Prepare existing shoulders for roadway widening by windrowing and blading material beyond the limits of the existing soil-cement. Excavate shoulder material to a depth of 2 inches below the top of the adjacent overlay, to a width of 10 feet from the roadway centerline for each lane (20 feet total roadway width).

Acceptable methods of excavation include, but are not limited to, the use of a motor grader, excavator, road widener, milling machine, or other approved equipment capable of uniformly removing the required material.

Place all excavated material outside the 20-foot widening limits in a manner that does not interfere with construction operations, drainage, or traffic.

For specific details, refer to the project typical sections.

This item will be paid for by the linear mile of road and shall include both sides of road.

LEVELING COURSE

The purpose of the leveling course is to correct surface irregularities, including filling depressions, wheel ruts, and areas associated with roadway widening, to provide a uniform surface for the wearing course.

Placement of the leveling course is not intended to fully correct cross slope. Adjust cross slope where practical within the limits of the contract quantity of asphalt. Where full correction is not achievable within the available quantity, the resulting cross slope shall conform to the existing roadway condition.

As noted on the overlay tables, the leveling course shall be full thickness within 200 feet of an intersection with a state highway.

For compaction, a pneumatic roller shall be used in addition to a steel wheel roller.

Construct the leveling course in accordance with the project typical sections, which govern thickness, width, and placement limits. Refer to the overlay tables for additional requirements, including station limits, beginning and ending points of overlay, locations of butt joints, and average overlay thickness.

The Contractor shall continuously monitor and document installed tonnage and placement quantities on a daily basis to ensure compliance with plan quantities. No unauthorized overruns of asphalt quantities will be permitted without prior approval from the Owner.

This item will be paid for by the ton.

WEARING COURSE

Construct the wearing course in accordance with the project typical sections, which govern thickness, width, and placement limits. Refer to the overlay tables for additional requirements, including station limits, beginning and ending points of overlay, locations of butt joints, and average overlay thickness.

The Contractor shall continuously monitor and document installed tonnage and placement quantities on a daily basis to ensure compliance with plan quantities. No unauthorized overruns of asphalt quantities will be permitted without prior approval from the Owner.

Refer to standard details for driveways, turnouts, and butt joint specifications. Driveways and turnouts shall be installed in conjunction with wearing course and will be paid with the same bid item.

This item will be paid for by the ton.

SHOULDER GRADING

After placement of the final lift of asphalt, the Contractor shall blade and shape all previously excavated material placed outside the 20-foot roadway footprint. This material shall be pulled in and placed adjacent to the edge of pavement to minimize any vertical differential created by the new asphalt surface.

Grade and shape the shoulders to provide a smooth transition from the pavement edge and to maintain positive drainage.

Any additional material required to correct remaining deficiencies or voids resulting from the final asphalt lift, after the previously excavated material has been graded as specified herein, shall be the responsibility of the Owner.

This item will be paid for by the linear mile of road and shall include both side of road.

GENERAL SPECIFICATIONS

These General Specifications are intended to supplement the Louisiana Department of Transportation and Development (DOTD) 2016 Standard Specifications for Roads and Bridges. Any work, materials, or requirements not specifically addressed herein shall be governed by and conform to the DOTD 2016 *Standard Specifications for Roads and Bridges*.

TRAFFIC CONTROL (as applicable):

Unless otherwise stated, it shall be the responsibility of Contractor to provide traffic control and traffic control devices in accordance with the MUTCD (2009) for the duration of project, including any extension of time provided by an executed change order. Contractor shall designate a traffic control supervisor, who is responsible for ensuring said traffic control is in place and maintained daily.

SUPPLEMENTAL SPECIFICATIONS

SUPPLEMENTAL SPECIFICATIONS FOR SECTION 502

ASPHALT CONCRETE MIXTURES

Louisiana Standard Specifications for Roads and Bridges (2016 Edition)

The provisions contained herein are Supplemental Specifications to Section 502 of the *Louisiana Standard Specifications for Roads and Bridges (2016 Edition)*. The section numbers referenced correspond to those standard specifications and are provided for ease of reference only.

These Supplemental Specifications are intended to modify, clarify, and supplement the requirements of the referenced sections and shall be considered an integral part of the Contract Documents. In the event of a conflict between these Supplemental Specifications and the Louisiana Standard Specifications, these Supplemental Specifications shall govern.

These provisions are not intended to restate all requirements of the referenced sections. All requirements of the Louisiana Standard Specifications shall remain in effect except as specifically modified herein.

Any reference in the Louisiana Standard Specifications to the “Chief Engineer,” “Engineer,” or similar authority shall, for the purposes of this project, be interpreted to mean the Owner or the Owner’s designated representative, who shall have full authority for interpretation, acceptance, and enforcement of the Contract requirements.

502.01.1 General

Provide asphalt concrete mixture consisting of a Level 1 Wearing Course with a nominal maximum aggregate size of 12.5 mm (1/2 inch) conforming to MS Spec 164-002 (Revised January 28, 2026).

Use PG 70-22 asphalt binder, unless otherwise specified in the plans.

Furnish aggregates from sources listed on the Department’s Approved Materials List (AML) for aggregates and asphaltic materials.

All testing shall be performed by a DOTD-certified laboratory accredited by AMRL, CMEC, or other DOTD-approved accreditation agency.

502.03 Design of Asphalt Mixtures and Job Mix Formula (JMF)

Submit a Job Mix Formula (JMF) to the Owner for approval a minimum of 10 calendar days prior to production.

The JMF shall:

- Be developed in accordance with DOTD Superpave requirements
- Be prepared by a qualified laboratory
- Include all required design parameters (including, but not limited to, Gmm, asphalt content, aggregate gradation, and volumetric properties)

Do not begin production until the JMF has been reviewed and accepted by the Owner.

All materials incorporated into the mixture shall meet applicable DOTD requirements.

502.08.2 Paving Operations

The use of a Material Transfer Vehicle (MTV) is prohibited for all paving operations on this project.

502.10 Lot Definitions

502.10.1 Mainline Lot Size

Define a Lot as each contiguous section of roadway, regardless of length.

Define Sublots as 2,500 feet of lane width.

502.10.2 Minor Mixes

Minor mixes and minor lot provisions shall not apply to this project.

502.10.3 Mixes without Density Requirements

For leveling, patching, and driveway aprons:

- No density testing or acceptance sampling will be required
- Placement shall be performed in accordance with an approved JMF
- Compaction shall be to the satisfaction of the Engineer

For isolated work areas requiring less than 250 tons:

- JMF, materials, plant operations, and paving operations shall be subject to Owner approval
- Sampling and testing will not be required

502.11 Roadway Acceptance

Perform acceptance based on density and visual inspection.

Do not place mixtures exhibiting segregation, contamination, temperature inconsistencies, or other visible defects.

Correct or replace, at no direct pay, any defective material or workmanship, including but not limited to:

- Segregation
- Surface irregularities
- Improper joints
- Alignment deviations
- Poor construction practices

502.11.1 Density

Obtain cores within 3 calendar days of placement.

Core diameters shall be 4-inch or 6-inch.

Minimum sampling frequency:

- All roadway sections: Two (2) cores per contiguous roadway section (Lot)
- Roadways over 2,500 ft: One (1) core per 2,500 feet of lane width, (Sublot)

Density Acceptance Criteria

Target density shall be 92.0% to 96.0% of Gmm.

Core results shall be submitted to the Owner for acceptance determination.

If density requirements are not met:

1. Contractor may obtain one additional set of cores at no cost to the Owner
2. Results shall be combined with the original set to establish a revised average
3. Outliers may be removed with Owner approval and proper justification

If compliance is still not achieved:

- A third set shall be obtained and tested by an independent laboratory selected by the Owner
- Results from the independent laboratory shall be final and binding

All costs associated with sampling and testing shall be borne by the Contractor.

Pay Adjustment Schedule

Average Density (% Gmm) Based on Core Samples	Pay Factor Applied to Lot Tonnage Rate
91.5% – 96.0%	100%
90.5% – <91.5% OR >96.0% – 96.5%	98%
89.5% – <90.5% OR >96.5% – 97.0%	95%
88.0% – <89.5% OR >97.0% – 98.0%	90%
< 88% OR > 98.0%	Remove and Replace or 50% Pay (Owner’s discretion)

502.12 Surface Requirements

502.12.2 Longitudinal Smoothness

IRI testing will not be required.

The Owner will perform a ride quality evaluation following placement of the leveling and wearing courses.

Contractor shall be responsible for correcting deficient areas as directed by Owner. The Contractor will be allowed to touch up these areas with additional asphalt. The Contractor will be compensated at the Contract unit price for any additional asphalt installed.

502.12.3.2 Cross Slope

Continuously monitor cross slope during placement.

Correct deviations exceeding ±1.0% from plan slope at no direct pay.

502.13 Dimensional Requirements

502.13.1 Thickness

Continuously monitor thickness during placement.

Deficiencies exceeding 3/8 inch below plan thickness shall be corrected at no direct pay.

502.13.2 Width

Construct pavement to plan width.

Correct under-width areas (greater than 6 inches) by placing additional mixture to a minimum width of 1 foot and plan thickness at no direct pay.

502.14 Measurement

Measure asphalt concrete by the ton (2,000 pounds) based on printed weight tickets.

Provide certified weight tickets with each load identifying the applicable JMF.

502.15 Basis of Payment

502.15.1 General

Payment includes full compensation for:

- Materials
- Production
- Surface preparation
- Tack
- Hauling
- Placement and compaction

Apply pay adjustments where requirements are not met.

Discontinue production if repeated deficiencies occur until corrective measures are implemented.

502.15.2 Mainline Mixtures

Apply density pay adjustments to the theoretical mainline quantity, calculated using:

- Plan width
- Plan thickness
- Total lane length (excluding exclusions)

502.15.4 Tack Coat

Tack coat shall be incidental to the asphalt item and will not be measured or paid separately.

ALTERNATE 1

HAULING AND PLACEMENT OF OWNER-FURNISHED ASPHALTIC CONCRETE

As an alternative to the Contractor furnishing asphaltic concrete for the leveling and wearing courses, the JDPPJ may elect to procure the asphaltic concrete directly through its cooperative purchasing agreement with the Louisiana Department of Transportation and Development (DOTD). Under this Alternate, the Contractor shall be responsible for hauling, placement, and compaction only.

A copy of the applicable cooperative purchasing agreement is included in the Contract Documents. For bidding purposes, asphaltic concrete shall be assumed to be loaded at the plant located at: 2899 Parham Road, Westlake, Louisiana 70669.

The Contractor may elect to haul material from any other plant location listed in the cooperative agreement; however:

- Any cost increase above the unit price established for the Westlake plant shall be borne by the Contractor at no additional cost to the Owner.
- Any cost savings resulting from a lower unit price at an alternate plant location shall be credited to the Contractor.
- In the event the Westlake Plant is temporarily unavailable, the Contractor may request approval from the Owner to obtain material from an alternate plant. If approved, the Owner will pay any increase in material cost above the unit price established for the Westlake plant. No additional compensation, however, will be made for increased hauling or transportation costs associated with use of an alternate plant.

If Alternate No. 1 is selected, the corresponding Base Bid items for asphaltic concrete shall be eliminated and will not be used for payment. The unit price(s) provided under Alternate No. 1 shall represent full compensation for hauling, placing, and compacting asphaltic concrete furnished by the Owner.

ADDITIONAL TERMS AND CONDITIONS

SUBMITTALS:

Selected Contractor shall be notified by Notice of Award after which time said contractor will be required to submit/execute the following documents within 10 Days: Non-Collusion Affidavit, Attestations Affidavit, Affidavit of Employee Verification, Contract (with performance bond), Certificates of Insurance, List of any Subcontractor(s), Contractor's License(s), and any other documentation necessary to execute the project Scope of Work. As per La. R.S. 38:2212, JDPPJ can reject any bid not in compliance with these said provisions and requirements.

See project Scope of Work for additional submittals required.

PRE-CONSTRUCTION CONFERENCE

Prior to the start of any construction activities, the Contractor shall attend a Pre-Construction Conference with the Owner and/or the Owner's designated representative. The purpose of this conference is to review the project scope, discuss construction sequencing, address coordination requirements, and establish communication procedures.

At a minimum, the Contractor shall be prepared to discuss:

- Proposed construction methods and sequencing
- Traffic control and public safety measures
- Subcontractors and key personnel
- Material sources and anticipated production rates
- Quality control procedures and testing coordination

No work shall begin until the Pre-Construction Conference has been conducted to the satisfaction of the Owner. This conference should be scheduled between Contractor and Owner soon after 10 day documents are completed.

CONSTRUCTION SCHEDULE

The Contractor shall submit a Construction Schedule to the Owner for review prior to the commencement of work. The schedule shall outline the anticipated sequence and duration of all major work activities, including but not limited to mobilization, roadway preparation, leveling course, wearing course, and shoulder work.

The schedule shall identify key milestones and anticipated completion dates and shall be updated as necessary to reflect actual project progress.

Perform all work in accordance with the approved schedule unless otherwise directed by the Owner. Failure to maintain reasonable progress consistent with the submitted schedule may result in corrective action as determined by the Owner.

COORDINATION WITH OWNER:

It shall be the responsibility of the Contractor to coordinate with the Owner during the duration of the project. This includes but is not limited to start of work, progress, and completion of work.

REQUIRED DOCUMENTATION:

Submit and post a list of emergency telephone numbers and address for individuals to be contacted in case of emergency.

OTHER:

It shall be the responsibility of the Bidder to request in writing clarification of anything not explicitly stated in this bid.

OWNER'S ESTIMATE:

The estimated cost for the Total Base Bid, as described on the Bid Form is \$3,200,000. JDPPJ reserves the right to reject all bids that exceed the estimated cost by 15%.

PAYMENT:

The Contractor may submit a payment request for work satisfactorily performed and/or items completed in accordance with the Contract Documents, including, but not limited to, installed quantities, mobilization, and any other work quantified on the bid form.

Progress payments will be made for up to ninety percent (90%) of the value of work completed, as determined by the Owner, based on the applicable contract unit prices or lump sum items.

Each payment request shall include detailed quantity calculations, a summary of prior cumulative payments, any prepayments made for delivery of equipment, and properly calculated retainage in accordance with the contract.

Upon final completion of the project, acceptance of the work, and submission of all required closeout documents, including proof of a clear lien status, the Owner shall remit the remaining balance due for each bid item in accordance with the contract unit prices.

CHANGE ORDER(S):

A written change, between the Owner and the Contractor order shall be required to modify the scope of work, modify original bid quantities, or extend the original contract time. When such change orders are duly executed, they shall become a part of the Contract.

OWNER INSPECTIONS:

Owner will conduct periodic inspections. No samples will be required unless explicitly stated. Any questions during construction shall be submitted in writing via email to ben@jdppj.net.

OWNER PROVIDED ITEMS:

Owner shall not provide any labor, materials, or equipment for project for base bid.

CONTRACT TIME:

Construction time shall commence on the date specified in the written *Notice to Proceed* issued by the Owner. At the Contractor's written request, the Owner may allow an assembly or mobilization period of up to 90 calendar days prior to issuance of the Notice to Proceed. The Contractor shall fully complete the Work within 180 consecutive calendar days from the Notice to Proceed, subject to time extensions approved by the Owner through a written change order.

LIQUIDATED DAMAGES:

The Bidder shall agree to pay as Liquidated Damages the amount of \$500 Dollars for each consecutive calendar day for which the work is not substantially complete, beginning with the first day beyond the contract completion date stated on the "Notice to Proceed" or as amended by change order.

LOUISIANA UNIFORM PUBLIC WORK BID FORM

TO: Jefferson Davis Parish Police Jury
304 N. State Street
Jennings, LA 70546

PROJECT: 2026 JDPPJ Overlay Project #2025009

The undersigned bidder hereby declares and represents that she/he: a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: THE JEFFERSON DAVIS PARISH POLICE JURY.

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following **ADDENDA:** (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging)

_____ .

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" * but not alternates) the sum of:

_____ Dollars (\$ _____)

ALTERNATE 1: _____ Dollars (\$ _____)

NAME OF BIDDER: _____

ADDRESS OF BIDDER: _____

LOUISIANA CONTRACTOR'S LICENSE NUMBER: _____

NAME OF AUTHORIZED SIGNATORY OF BIDDER: _____

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: _____

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **: _____

DATE: _____

THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** **A CORPORATE RESOLUTION OR WRITTEN EVIDENCE** of the authority of the person signing the bid for the public work as prescribed by LA R.S. 38:2212(B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA R.S. 38:2218(A) attached to and made a part of this bid.

LOUISIANA UNIFORM PUBLIC WORK BID FORM-UNIT PRICE FORM

TO: **Jefferson Davis Parish Police Jury** PROJECT: **2026 JDPPJ Overlay Project #2025009**
304 N. State Street
Jennings, LA 70546

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# ___ Mobilization			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
001	1	Lump		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# ___ Shoulder Grading (for road widening)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
002	10.24	Mile (both sides of road)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# ___ Asphaltic Concrete (Furnish & Install) Leveling Course			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
003	9,073	Tons		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# ___ Asphaltic Concrete (Furnish & Install) Wearing Course (136 Tons included for drives and turnouts)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
004	9,077	Tons		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# ___ Shoulder Grading (reshaping)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
005	10.24	Mile (both sides of road)		

DESCRIPTION:	<input type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# ___			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)

DESCRIPTION:	<input type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# ___			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)

DESCRIPTION:	<input type="checkbox"/> Base Bid or <input checked="" type="checkbox"/> Alt.# <u> 1 </u> Asphaltic Concrete (Haul & Install Owner Furnished) Leveling Course			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION <i>(Quantity times Unit Price)</i>
003A	9,073	003A		

DESCRIPTION:	<input type="checkbox"/> Base Bid or <input checked="" type="checkbox"/> Alt.# <u> 1 </u> Asphaltic Concrete (Haul & Install Owner Furnished) Wearing Course (136 Tons included for drives and turnouts)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION <i>(Quantity times Unit Price)</i>
004A	9,077	004A		

**Wording for “DESCRIPTION” is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner**

All bid items shall include furnishing and installing unless explicitly stated otherwise.

Each Bid Unit Price shall include an amount considered by Bidder to be adequate to cover overhead and profit for each separately identified item, and thus the Owner reserves the right to alter quantities as needed based on project needs or unforeseen situations.

Bidders shall provide a unit price for all bid items, including those shown with an assumed quantity of zero (0), to account for work that may become necessary due to field conditions encountered after the project has commenced.

**If Alternate Item 003A is selected, Base Bid Item 003 shall be eliminated and will not be used for payment.
If Alternate Item 004A is selected, Base Bid Item 004 shall be eliminated and will not be used for payment.**

BID BOND

FOR: **JEFFERSON DAVIS PARISH POLICE JURY**

Date: _____

KNOW ALL MEN BY THESE PRESENTS:

That _____ of _____,
as Principal, and _____, as Surety,
are held and firmly bound unto the Jefferson Davis Parish Police Jury (Obligee), in the full and just sum
of five (5%) percent of the total amount of this proposal, including all alternates, lawful money of the
United States, for payment of which sum, well and truly be made, we bind ourselves, our heirs, executors,
administrators, successors and assigns, jointly and severally firmly by these presents.

Surety represents that it is listed on the current U. S. Department of the Treasury Financial
Management Service list of approved bonding companies as approved for an amount equal to or greater
that the amount for which it obligates itself in this instrument or that it is a Louisiana domiciled insurance
company with at least an A - rating in the latest printing of the A. M. Best's Key Rating Guide. If surety
qualifies by virtue of its Best's listing, the Bond amount may not exceed ten percent of policyholders' surplus
as shown in the latest A. M. Best's Key Rating Guide.

Surety further represents that it is licensed to do business in the State of Louisiana and that this
Bond is signed by surety's agent or attorney-in-fact. This Bid Bond is accompanied by appropriate power
of attorney.

THE CONDITION OF THIS OBLIGATION IS SUCH that, whereas said Principal is herewith
submitting its proposal to the Obligee on a Contract for:

NOW, THEREFORE, if the said Contract be awarded to the Principal and the Principal shall,
within such time as may be specified, enter into the Contract in writing and give a good and sufficient bond
to secure the performance of the terms and conditions of the Contract with surety acceptable to the Obligee,
then this obligation shall be void; otherwise this obligation shall become due and payable.

PRINCIPAL (BIDDER)

SURETY

BY: _____
AUTHORIZED OFFICER-OWNER-PARTNER

BY: _____
AGENT OR ATTORNEY-IN-FACT(SEAL)

NOTICE OF AWARD

DATE: _____

TO: _____

The Owner represented has considered the Bid Proposal submitted by you for the above mentioned project in response to its Request for Bids dated _____.

It appearing to be in the best interest of the Owner, your Bid Proposal is hereby accepted in the amount of \$ _____, based on the Base Bid as modified by the Alternate Item(s) selected by the Owner..

The following Alternative(s) have also been selected _____ and shall be incorporated into the Contract. The value of the selected Alternate Item(s) is \$ _____.

The Total Contract Amount, including all accepted Alternate Item(s), shall be \$ _____.

You are required by the Notice and Instructions to Bidders to execute the formal contract with the undersigned Owner within ten (10) days from the date of the delivery of this notice to you.

If you fail to execute said contract and to furnish said bond within ten (10) days from the date of delivery of this Notice, said Owner will be entitled to consider all your rights arising out of the Owner's acceptance of you Proposal as abandoned, retain your bid bond, and to award the work covered by your Proposal to another, or to re-advertise the work or otherwise dispose thereof as the Owner may see fit.

Dated this _____ day of _____ 20_____.

Ben Boudreaux, Administrator
Jefferson Davis Parish Police Jury

ACCEPTANCE OF NOTICE

Receipt of the above NOTICE OF AWARD is hereby acknowledged by:

_____, on this the _____ day of _____, 20_____.

Signature: _____

Title: _____

NON-COLLUSION AFFIDAVIT

STATE OF LOUISIANA

PARISH OF JEFFERSON DAVIS

Before me, the undersigned authority, duly commissioned and qualified within and for the State and Parish aforesaid, personally came and appeared _____ representing _____ who, being by me first duly sworn deposed and said that he has read this affidavit and does hereby agree under oath to comply with all provisions herein as follows:

PART I.

Section 2224 of Part II of Chapter 10 of Title 38 of the Louisiana Revised Statutes, as amended.

(1) That affiant employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for affiant; and

(2) That no part of the Contract price received by affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the Contract, other than the payment of their normal compensation to persons regularly employed by the affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for affiant.

PART II.

Section 2190 of Part I of Chapter 10 of Title 38 of the Louisiana Revised Statutes, as amended.

That affiant, if an architect or engineer, or representative thereof, does not own a substantial financial interest, either directly or indirectly, in any corporation, firm, partnership, or other organization which supplies materials for the construction of a public work when the architect or engineer has performed architectural or engineering services, either directly or indirectly, in connection with the public work for which the materials are being supplied.

For the purposes of this Section, a "substantial financial interest" shall exclude any interest in stock being traded on the American Stock Exchange or the New York Stock Exchange.

That affiant, if subject to the provisions of this section, does hereby agree to be subject to the penalties involved for the violation of this section.

AFFIANT

SWORN TO AND SUBSCRIBED BEFORE ME THIS _____ DAY OF _____ 20 _____

NOTARY

ATTESTATIONS AFFIDAVIT

STATE OF LOUISIANA

PARISH OF JEFFERSON DAVIS

Before me, the undersigned notary public, duly commissioned and qualified in and for the parish and state aforesaid, personally came and appeared Affiant, who after being duly sworn, attested as follows:

LA. R.S. 38:2227 PAST CRIMINAL CONVICTIONS OF BIDDERS

A. No sole proprietor or individual partner, incorporator, director, manager, officer, organizer, or member who has a minimum of a ten percent (10%) ownership in the bidding entity named below has been convicted of, or has entered a plea of guilty or nolo contendere to any of the following state crimes or equivalent federal crimes:

- | | |
|---------------------------------------|------------------------------------|
| (a) Public bribery (R.S. 14:118) | (c) Extortion (R.S. 14:66) |
| (b) Corrupt influencing (R.S. 14:120) | (d) Money laundering (R.S. 14:230) |

B. Within the past five years from the project bid date, no sole proprietor or individual partner, incorporator, director, manager, officer, organizer, or member who has a minimum of a ten percent (10%) ownership in the bidding entity named below has been convicted of, or has entered a plea of guilty or nolo contendere to any of the following state crimes or equivalent federal crimes, during the solicitation or execution of a contract or bid awarded pursuant to the provisions of Chapter 10 of Title 38 of the Louisiana Revised Statutes:

- | | |
|-----------------------------------------------|-----------------------------------------------------------|
| (a) Theft (R.S. 14:67) | (f) Bank fraud (R.S. 14:71.1) |
| (b) Identity Theft (R.S. 14:67.16) | (g) Forgery (R.S. 14:72) |
| (c) Theft of a business record (R.S.14:67.20) | (h) Contractors; misapplication of payments (R.S. 14:202) |
| (d) False accounting (R.S. 14:70) | (i) Malfeasance in office (R.S. 14:134) |
| (e) Issuing worthless checks (R.S. 14:71) | |

LA. R.S. 38:2212.10 Verification of Employees

- A. At the time of bidding, Appearer is registered and participates in a status verification system to verify that all new hires in the state of Louisiana are legal citizens of the United States or are legal aliens.
- B. If awarded the contract, Appearer shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the state of Louisiana.
- C. If awarded the contract, Appearer shall require all subcontractors to submit to it a sworn affidavit verifying compliance with Paragraphs (A) and (B) of this Subsection.

LA. R.S. 23:1726(B) Certification Regarding Unpaid Workers Compensation Insurance

- A. R.S. 23:1726 prohibits any entity against whom an assessment under Part X of Chapter 11 of Title 23 of the Louisiana Revised Statutes of 1950 (Alternative Collection Procedures & Assessments) is in effect, and whose right to appeal that assessment is exhausted, from submitting a bid or proposal for or obtaining any
- May 2026 20

ATTESTATIONS AFFIDAVIT (Continued)

contract pursuant to Chapter 10 of Title 38 of the Louisiana Revised Statutes of 1950 and Chapters 16 and 17 of Title 39 of the Louisiana Revised Statutes of 1950.

- B. By signing this bid /proposal, Affiant certifies that no such assessment is in effect against the bidding / proposing entity.

NAME OF BIDDER:

NAME OF AUTHORIZED SIGNATORY:

DATE

TITLE OF AUTHORIZED SIGNATORY:

**SIGNATURE OF AUTHORIZED
SIGNATORY OF BIDDER/AFFIANT**

Sworn to and subscribed before me by Affiant on the _____ day of _____, 20____ .

Notary Public

END ATTESTATIONS AFFIDAVIT

AFFIDAVIT OF EMPLOYEE VERIFICATION
(LA RS 38:2212.10)

STATE OF LOUISIANA

PARISH OF JEFFERSON DAVIS

Before me, the undersigned authority, duly commissioned and qualified within and for the State and Parish aforesaid, personally came and appeared _____ representing _____ who, being by me first duly sworn deposed and said that he has read this affidavit and does hereby agree under oath to comply with all provisions herein as follows:

1. The affiant is duly authorized to execute this affidavit on behalf of the above-named company.
2. The company was in full compliance at the time the bid was submitted and is currently registered with and actively participates in the federal E-Verify program, the employment eligibility verification system operated by the United States Department of Homeland Security.
3. The company verifies the employment eligibility of all newly hired employees in the State of Louisiana through the E-Verify program and will continue to do so for the duration of any contract entered into with the Jefferson Davis Parish Police Jury.
4. The company requires all subcontractors performing work under the contract to submit sworn affidavits verifying compliance with the same E-Verify requirements.
5. The company understands that failure to comply with the requirements of La. R.S. §2212.10 may result in termination of the contract and ineligibility to contract with public entities in the State of Louisiana for up to three (3) years.

The foregoing is true and correct to the best of the affiant's knowledge, information, and belief.

AFFIANT

SWORN TO AND SUBSCRIBED BEFORE ME THIS _____ DAY OF _____ 20____

NOTARY

CONTRACT BETWEEN OWNER & CONTRACTOR
PERFORMANCE & PAYMENT BOND

This agreement entered into this _____ day of _____, 20 _____, by _____
_____ hereinafter called the "Contractor", whose business address is
_____, and the Jefferson Davis Parish Police
Jury, herein represented by the contracting officer executing this contract, hereinafter called the "Owner".

Witness that the Contractor and the Owner, in consideration of premises and the mutual covenants;
consideration and agreement herein contained, agree as follows:

Statement of Work: The contractor shall furnish all labor and materials and perform all of the work required
to build, construct and complete in a thorough and workmanlike manner:

PROJECT NAME: **2026 JDPPJ Overlay**
PROJECT NUMBER: **2025009**

In strict accordance with Contract Documents prepared by:

Ben Boudreaux, P.E.
Jefferson Davis Parish Police Jury
304 N. State Street,
Jennings, LA 70546

It is recognized by the parties herein that said Contract Documents including by way of example
and not of limitation, Addenda number(s) _____, the Scope of Work, Instruction to Bidders, Additional
Terms and Conditions, Bid Form, Unit Price Form, Construction Plans, Attachments, and any Addenda
thereto, impose duties and obligations upon the parties herein, and said parties thereby agree that they shall
be bound by said duties and obligations. For these purposes, all of the provisions contained in the
aforementioned Construction Documents are incorporated herein by reference with the same force and
effect as though said Construction Documents were herein set out in full.

Time for Completion: The work shall be commenced on a date to be specified in a written order of the
Owner and shall be completed within **180** consecutive calendar days from and after the said date.

Liquidated Damages: Contractor shall be assessed Liquidated Damages in the amount of **\$500** per day for
each consecutive calendar day which work is not complete beginning with the first day beyond the
completion time.

Accepted Alternate(s): The following Alternate Item(s) are incorporated into the Contract: _____.
The value of the selected Alternate Item(s) is _____ Dollars
(\$ _____)

Compensation to be paid to the Contractor: The Owner shall pay, and the Contractor shall accept as full
compensation for the complete and satisfactory performance of the Work, the sum of
_____ Dollars (\$ _____), representing the Base Bid, as
modified by the Alternate Item(s) selected by the Owner. **The Total Contract Amount, including all
accepted Alternate Item(s), shall be _____ Dollars (\$ _____).**

CONTRACT BETWEEN OWNER & CONTRACTOR
PERFORMANCE & PAYMENT BOND (continued)

Taxes: Contractor hereby agrees that the responsibility for payment of taxes from the funds thus received under this Contract and/or legislative appropriation shall be contractor's obligation and identified under Federal tax identification number _____.

Performance and Payment Bond: To these presents personally came and intervened _____, herein acting for _____, a corporation organized and existing under the laws of the State of _____, and duly authorized to transact business in the State of Louisiana, as surety, who declared that having taken cognizance of this contract and of the Construction Documents mentioned herein, he hereby in his capacity as its Attorney in Fact obligates his said company, as Surety for the said Contractor, unto the said Owner, up to the sum of _____ By issuance of this bond, the surety acknowledges they are in compliance with R.S. 38:2219.

The condition of this performance and payment bond shall be that should the Contractor herein not perform the contract in accordance with the terms and conditions hereof, or should said Contractor not fully indemnify and save harmless the Owner, from all cost and damages which he may suffer by said Contractor's non-performance or should said Contractor not pay all persons who have and fulfill obligations to perform labor and/or furnish materials in the prosecution of the work provided for herein, including by way of example workmen, laborers, mechanics, and furnishers of materials, machinery, equipment and fixtures, then said Surety agrees and is bound to so perform the contract and make said payment(s).

Provided, that any alterations which may be made in the terms of the contract or in the work to be done under it, or the giving by the Owner of any extensions of time for the performance of the contract, or any other forbearance on the part of either the Owner or the Contractor to the other shall not in any way release the Contractor or the Surety from their liability hereunder, notice to the Surety of any such alterations, extensions or other forbearance being hereby waived.

Contractor acknowledges and agrees to comply with the provisions of La. R.S. 38:2212.10 and federal law pertaining to E-Verify in the performance of services under this Contract.

It is hereby agreed that the Legislative Auditor of the State of Louisiana and/or the Office of the Governor, Division of Administration auditors shall have the option of auditing all accounts of contractor which relate to this contract.

The continuation of this contract is contingent upon the appropriation of funds to fulfill the requirements of the contract by the legislature. If the legislature fails to appropriate sufficient monies to provide for the continuation of the contract, or if such appropriation is reduced by the veto of the Governor or by any means provided in the appropriations act to prevent the total appropriation for the year from exceeding revenues for that year, or for any other lawful purpose, and the effect of such reduction is to provide insufficient monies for the continuation of the contract, the contract shall terminate on the date of the beginning of the first fiscal year for which funds are not appropriated.

CONTRACT BETWEEN OWNER & CONTRACTOR
PERFORMANCE & PAYMENT BOND (continued)

The contractor agrees to abide by the requirements of the following as applicable: Title VI of the Civil Rights Act of 1964 and Title VII of the Civil Rights Act of 1964, as amended by the Equal Employment Opportunity Act of 1972, Federal Executive Order 11246 as amended, the Rehabilitation Act of 1973, as amended, the Vietnam Era Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, the Age Discrimination Act of 1975, the Fair Housing Act of 1968 as amended, and contractor agrees to abide by the requirements of the Americans with Disabilities Act of 1990.

Contractor agrees not to discriminate in its employment practices, and will render services under this contract without regard to race, color, religion, sex, sexual orientation, national origin, veteran status, political affiliation, disability, or age in any matter relating to employment. Any act of discrimination committed by Contractor, or failure to comply with these statutory obligations when applicable shall be grounds for termination of this contract.

In accordance with Executive Order Number JBE 2018-15, effective May 22, 2018, for any contract for \$100,000 or more and for any contractor with five or more employees, Contractor, or any Subcontractor, shall certify it is not engaging in a boycott of Israel, and shall, for the duration of this contract, refrain from a boycott of Israel. The State reserves the right to terminate this contract if the Contractor, or any Subcontractor, engages in a boycott of Israel during the term of the contract.

Contractor has a continuing obligation to disclose any suspensions or debarment by any government entity, including but not limited to General Services Administration (GSA). Failure to disclose may constitute grounds for suspension and/or termination of the Contract and debarment from future Contracts.

Contractor, and each tier of Subcontractors, shall certify that it is not on the List of Parties Excluded from Federal Procurement or Non-procurement Programs promulgated in accordance with E.O.s 12549 and 12689, "Debarment and Suspension," as set forth at 24 CFR part 24.

In Witness whereof, the parties hereto on the day and year first above written have executed this agreement in Six (6) counterparts, each of which shall, without proof or accountancy for the other counterparts, be deemed an original thereof.

Indemnification

The Contractor will indemnify, defend, and hold harmless the Owner, including the Owner's employees and agents, from and against any and all claims or liabilities, arising from the fault of the Contractor, its employees, subcontractors or agents in carrying out the Contractor's duties and obligations under the terms of this agreement. The Owner will indemnify, defend, and hold harmless the Contractor, including the Contractor's employees and agents, from and against any and all claims or liabilities, arising from the fault of the Owner, its employees or agents in carrying out the Owner's duties and obligations under the terms of any agreement. This section will survive the termination of any agreement. In the event that either party takes any action to enforce this mutual indemnity provision, the prevailing party shall be entitled to recover reasonable attorney's fees and costs arising as a result thereof.

CONTRACT BETWEEN OWNER & CONTRACTOR **PERFORMANCE & PAYMENT BOND (continued)**

Termination of Contract for Cause.

The occurrence of any of the following shall constitute a default by the Contractor and shall provide the Owner with a right to terminate this Contract in accordance with this section, in addition to the right to pursue any other remedies that the Owner may have under this Contract or under law.

1. If, in the Owner's opinion, the Contractor is improperly performing Work or violating any provision(s) of the Contract Documents;
2. If the Contractor neglects or refuses to correct defective Work or replace defective parts or equipment, as directed by the Owner pursuant to an inspection;
3. If, in the Owner's opinion, the Contractor's Work is being unnecessarily delayed and will not be finished within the prescribed time;
4. If the Contractor assigns this Contract or any money accruing thereon or approved thereon or,
5. If the Contractor abandons the Work, is adjudged bankrupt, or if they make a general assignment for the benefit of their creditors, or if a trustee or receiver is appointed for the Contractor or for any of their property.

The Owner shall, before terminating the Contract for any of the foregoing reasons, notify the Contractor in writing of the grounds for termination and provide the Contractor with ten (10) calendar days to cure the default to the reasonable satisfaction of the Owner. If the Contractor fails to correct or cure within the time provided, the Owner may terminate this Contract by notifying the Contractor in writing. Upon receiving such notification, the Contractor shall immediately cease all Work hereunder and shall forfeit any further right to possess or occupy the Site or any materials thereon, provided, however, that the Owner may authorize the Contractor to restore any Work Sites.

The Contractor, and where applicable, the Contractor's sureties, shall be liable for:

1. Any new cost incurred by the Owner in soliciting bids for and letting a new Contract;
2. The difference between the cost of completing the new Contract and the cost of completing this Contract and,
3. Any court costs and attorneys' fees associated with any lawsuit undertaken by the Owner to enforce its rights herein.

Termination of Contract for Convenience.

The Owner may terminate this Contract, without cause, upon thirty (30) days' written notice to the Contractor, for the Owner's convenience. Upon receipt of notice of such termination, the Contractor shall, unless the notice directs otherwise, immediately cease all Work. Upon such termination, Contractor shall be entitled to payment only as follows:

1. The actual cost of Work completed in conformity with this Contract and,
2. Such other costs actually incurred by the Contractor as permitted by the Contract and approved by the Owner.

CONTRACT BETWEEN OWNER & CONTRACTOR
PERFORMANCE & PAYMENT BOND (continued)

THUS DONE AND SIGNED in Jennings Louisiana, on the day, month, and year first written above.

WITNESSES:

JEFFERSON DAVIS PARISH POLICE JURY:

JDPPJ Witness #1 Sign Here

BY: _____
Ben Boudreaux, Administrator
Jefferson Davis Parish Police Jury

JDPPJ Witness #2 Sign Here

BY: _____

Contractor Witness #1 Sign Here

Contractor Witness #2 Sign Here

SURETY:

Surety Witness #1 Sign Here

BY:

Surety Witness #2 Sign Here

END OF CONTRACT

NOTICE TO PROCEED

DATE: _____

TO: _____

You are hereby notified to commence work in accordance with the contract executed _____
_____. You will have _____ **calendar** days from the issuance of this notice
to commence construction activity and _____ **calendar** days from the date of commencement
to complete all work. The date of completion of all work is therefore _____ day of
_____ 20_____

Ben Boudreaux, Administrator
Jefferson Davis Parish Police Jury

ACCEPTANCE OF NOTICE

Receipt of the above NOTICE TO PROCEED is hereby acknowledged by:

_____, on this the _____ day of _____, 20_____.

Signature: _____

Title: _____

CHANGE ORDER

DATE: _____

CHANGE ORDER #: _____

CONTRACTOR: _____

REASON/DESCRIPTION:

CHANGE ORDER QUANTITIES & UNIT COST

Item Number	Item Description	Unit of Measure	Quantity	Unit Price	Bid Amount
Change Order Total					

ORIGINAL CONTRACT PRICE: _____

ORIGINAL CONTRACT DAYS: _____

CHANGE ORDER PRICE: _____

CHANGE ORDER DAYS: _____

NEW CONTRACT PRICE: _____

NEW CONTRACT DAYS: _____

RECOMMENDED

APPROVED

ACCEPTED

NAME: _____

NAME: _____

NAME: _____

TITLE: _____

TITLE: _____

TITLE: _____

SIGNATURE

SIGNATURE

SIGNATURE

DATE: _____

DATE: _____

DATE: _____

Attachments: _____

ATTACHMENT A – OVERLAY TABLES

Overlay Tables: 2026 JDPPJ Overlay Project 2025009

Drives & Turnouts									
Station	Side	Description	Driveway/ Turnout Width (feet)	Driveway/ Turnout Depth (feet)	Average Driveway/Turnout Thickness (inches)			Item #004 Asphalt (Tons) Driveway/Turnout	Butt Joint Required for Tie-in
Road Totals								0.00	

Overlay Table - FE Landry Road									
Station Begin	Station End	Description	Length (miles)	Width (feet)	Average Leveling Thickness (inches)	Average Wearing Thickness (inches)	Item #003 Asphalt (Tons) Leveling	Item #004 Asphalt (Tons) Wearing	Butt Joint Locations
0+00		CL of LA HWY 26							
0+00	+40	DOTD ROW							
+40	2+40	Overlay (1.5" + 1.5")	0.04	18	2.0	1.5	44.1	33.1	+40
2+40	54+55	Overlay (0" Leveling + 1.5")	0.99	18	1.5	1.5	862.4	862.4	
54+55		CL of Placide Road (Gravel)							
54+55	81+86	Overlay (0" Leveling + 1.5")	0.52	18	1.5	1.5	451.6	451.6	
81+86		CL of Bert Road (Gravel)							
81+86	82+30	Overlay (0" Leveling + 1.5")	0.01	18	1.5	1.5	7.3	7.3	
82+30		End of Overlay							82+30
Road Totals			1.55				1,365.45	1,354.42	

Drives & Turnouts									
Station	Side	Description	Driveway/ Turnout Width (feet)	Driveway/ Turnout Depth (feet)	Average Driveway/Turnout Thickness (inches)			Item #004 Asphalt (Tons) Driveway/Turnout	Butt Joint Required for Tie-in
54+55	Right	CL of Placide Road (Gravel)	70	10	2.5			10.7	
61+38	Right	CL Concrete Driveway	22	3	1.5			0.6	
67+84	Right	CL Concrete Driveway	44	3	1.5			1.2	
78+65	Left	CL Concrete Driveway	19	3	1.5			0.5	
79+12	Left	CL Concrete Driveway	26	3	1.5			0.7	
81+86	Left	CL of Bert Road (Gravel)	87	10	2.5			13.3	
Road Totals								27.10	

Overlay Table - Dave Williams Road									
Station Begin	Station End	Description	Length (miles)	Width (feet)	Average Leveling Thickness (inches)	Average Wearing Thickness (inches)	Item #003 Asphalt (Tons) Leveling	Item #004 Asphalt (Tons) Wearing	Butt Joint Locations
0+00		CL of LA HWY 26							
0+00	1+05	DOTD ROW							
1+05		Begin of Overlay							
1+05	3+05	Overlay (1.5" + 1.5")	0.04	18	2.0	1.5	44.1	33.1	1+05

Overlay Tables: 2026 JDPPJ Overlay Project 2025009

3+05	32+95	Overlay (0" Leveling + 1.5")	0.57	18	1.5	1.5	494.5	494.5	
32+95		CL of Speight Road (Gravel)							
32+95	59+65	Overlay (0" Leveling + 1.5")	0.51	18	1.5	1.5	441.6	441.6	
59+65		CL of Elton Drive (Gravel)							
59+65	76+37	Overlay (0" Leveling + 1.5")	0.32	18	1.5	1.5	276.5	276.5	
76+37		CL of Gus Road (Gravel)							
76+37	86+16	Overlay (0" Leveling + 1.5")	0.19	18	1.5	1.5	161.9	161.9	
86+16		CL of Jim Babineaux Rd (Gravel)							
86+16	100+77	Overlay (0" Leveling + 1.5")	0.28	18	1.5	1.5	241.6	241.6	
100+77		CL of Savoie Rd (Gravel)							
100+77	112+36	Overlay (0" Leveling + 1.5")	0.22	18	1.5	1.5	191.7	191.7	112+36
112+36		End of Overlay							
Road Totals			2.11				1,851.81	1,840.79	
Drives & Turnouts									
Station	Side	Description	Driveway/ Turnout Width (feet)	Driveway/ Turnout Depth (feet)	Average Driveway/Turnout Thickness (inches)			Item #004 Asphalt (Tons) Driveway/Turnout	Butt Joint Required for Tie-in
1+39	Left	CL Concrete Driveway	28	3	1.5			0.8	No
3+20	Right	CL Concrete Driveway	28	3	1.5			0.8	No
19+92	Left	CL Concrete Driveway	18	3	1.5			0.5	No
23+55	Right	CL Concrete Driveway	18	3	1.5			0.5	No
25+23	Left	CL Concrete Driveway	27	3	1.5			0.7	No
26+46	Right	CL Concrete Driveway	21	3	1.5			0.6	No
32+95	Right	CL of Speight Rd (Gravel)	25	5	2.5			1.9	
59+65	Left	CL of Elton Drive (Gravel)	50	10	2.5			7.7	
59+65	Right	CL of Elton Drive (Gravel)	58	10	2.5			8.9	
61+55	Right	CL Concrete Driveway	33	3	1.5			0.9	No
64+62	Right	CL Concrete Driveway	25	3	1.5			0.7	No
76+37	Right	CL of Gus Road (Gravel)	47	5	2.5			3.6	
86+16	Right	CL of Jim Babineaux Rd (Gravel)	55	5	2.5			4.2	
100+77	Left	CL of Savoie Rd (Gravel)	40	5	2.5			3.1	
Road Totals								34.78	

Overlay Table - Augustine Road									
Station Begin	Station End	Description	Length (miles)	Width (feet)	Average Leveling Thickness (inches)	Average Wearing Thickness (inches)	Item #003 Asphalt (Tons) Leveling	Item #004 Asphalt (Tons) Wearing	Butt Joint Locations
0+00		CL of LA HWY 101							
0+00	+35	DOTD ROW							
+35		Begin of Overlay							
+35	2+35	Overlay (1.5" + 1.5")	0.04	18	2.0	1.5	44.1	33.1	+35
2+35	22+74	Overlay (0" Leveling + 1.5")	0.39	18	1.5	1.5	337.2	337.2	

Overlay Tables: 2026 JDPPJ Overlay Project 2025009

22+74	23+07	Bridge (1.5" Overlay)	0.01	18	0.0	1.5	0.0	5.5	
23+07	34+07	Overlay (0" Leveling + 1.5")	0.21	18	1.5	1.5	181.9	181.9	34+07
34+07		End of Overlay							
Road Totals			0.64				563.21	557.64	
Drives & Turnouts									
Station	Side	Description	Driveway/ Turnout Width (feet)	Driveway/ Turnout Depth (feet)	Average Driveway/Turnout Thickness (inches)			Item #004 Asphalt (Tons) Driveway/Turnout	Butt Joint Required for Tie-in
Road Totals								0.00	

Overlay Table - Dama Landry Road									
Station Begin	Station End	Description	Length (miles)	Width (feet)	Average Leveling Thickness (inches)	Average Wearing Thickness (inches)	Item #003 Asphalt (Tons) Leveling	Item #004 Asphalt (Tons) Wearing	Butt Joint Locations
0+00		CL of LA HWY 102							
0+00	+30	DOTD ROW							+30
+30	2+30	Overlay (1.5" + 1.5")	0.04	18	2.0	1.5	44.1	33.1	
2+30	26+89	Overlay (0" Leveling + 1.5")	0.47	18	1.5	1.5	406.7	406.7	
26+89		CL of Brown Road (Gravel)							
26+89	53+45	Overlay (0" Leveling + 1.5")	0.50	18	1.5	1.5	439.2	439.2	
53+45		End of Overlay (N edge of Ardoin Road)							
Road Totals			1.01				889.99	878.97	
Drives & Turnouts									
Station	Side	Description	Driveway/ Turnout Width (feet)	Driveway/ Turnout Depth (feet)	Average Driveway/Turnout Thickness (inches)			Item #004 Asphalt (Tons) Driveway/Turnout	Butt Joint Required for Tie-in
26+89	Right	CL of Brown Road (Gravel)	50	10	2.5			7.7	
53+45	End	Ardoin Road	40	5	2.5			3.1	
Road Totals								10.72	

Overlay Table - Dewolf Road									
Station Begin	Station End	Description	Length (miles)	Width (feet)	Average Leveling Thickness (inches)	Average Wearing Thickness (inches)	Item #003 Asphalt (Tons) Leveling	Item #004 Asphalt (Tons) Wearing	Butt Joint Locations
0+00		CL of LA HWY 101							
0+00	+40	DOTD ROW							
+40		Begin of Overlay							+40
+40	2+40	Overlay (1.5" + 1.5")	0.04	18	2.0	1.5	44.1	33.1	


Overlay Tables: 2026 JDPPJ Overlay Project 2025009

2+40	58+50	Overlay (0" Leveling + 1.5")	1.06	18	1.5	1.5	927.8	927.8	
58+50		End of Overlay							
59+25		CL Newcomer Road							
Road Totals			1.10				971.85	960.83	
Drives & Turnouts									
Station	Side	Description	Driveway/ Turnout Width (feet)	Driveway/ Turnout Depth (feet)	Average Driveway/Turnout Thickness (inches)			Item #004 Asphalt (Tons) Driveway/Turnout	Butt Joint Required for Tie-in
1+24	Right	CL Concrete Driveway	19	3	1.5			0.5	No
4+19	Right	CL Concrete Driveway	27	3	1.5			0.7	No
8+47	Right	CL Concrete Driveway	18	3	1.5			0.5	No
Road Totals								1.76	

Overlay Table - Liberty Cemetery Road									
Station Begin	Station End	Description	Length (miles)	Width (feet)	Average Leveling Thickness (inches)	Average Wearing Thickness (inches)	Item #003 Asphalt (Tons) Leveling	Item #004 Asphalt (Tons) Wearing	Butt Joint Locations
0+00		CL Liberty Cemetery Drive							
1+80		Begin of Overlay							
1+80	13+35	Overlay (0" Leveling + 1.5")	0.22	18	1.5	1.5	191.0	191.0	1+80
13+35		CL Doise Rd (Gravel)							
13+35	67+45	Overlay (0" Leveling + 1.5")	1.02	18	1.5	1.5	894.7	894.7	
67+45		CL Aylsworth Rd (Gravel)							
67+45	83+46	Overlay (0" Leveling + 1.5")	0.30	18	1.5	1.5	264.8	264.8	83+46
83+46		End of Overlay							
Road Totals			1.55				1,350.45	1,350.45	
Drives & Turnouts									
Station	Side	Description	Driveway/ Turnout Width (feet)	Driveway/ Turnout Depth (feet)	Average Driveway/Turnout Thickness (inches)			Item #004 Asphalt (Tons) Driveway/Turnout	Butt Joint Required for Tie-in
13+35	Left	CL Doise Rd (Gravel)	75	10	2.5			11.5	
67+45	Right	CL Aylsworth Rd (Gravel)	55	10	2.5			8.4	
67+45	Left	CL Aylsworth Rd (Gravel)	50	10	2.5			7.7	
78+00	Right	CL Asphalt Driveway	34	3	1.5			0.9	No
79+76	Right	CL Asphalt Driveway	36	3	1.5			1.0	No
19+92	Right	CL Asphalt Driveway	36	3	1.5			1.0	No
Road Totals								30.48	

ATTACHMENT B – PLAN SHEETS

Construction Plans
Jefferson Davis Parish Police Jury



District 1
Donald Woods
District 2
Chad Woods
District 3
Marcus Peterson
District 4
Kori Meyers

District 5
Tim Mcknight
District 6
Melvin Adams
District 7
Vice President

District 9
David LeJeune
District 10
Byron Buller
District 12
Scotty Cormier
District 13
Bill Labouve

President


District 11
Butch Lafargue

Vice President

District 8
Wayne Fruge

Sheet Index

BeBee Road	P2
Carl Hoppe Road	P5
FE Landry Road	P7
Dave Williams Road	P10
Augustine Road	P13
Dama Landry Road	P16
Dewolf Road	P19
Liberty Cemetery	P22
Cleopha Road	P24
Butt Joint Standard Detail	P27
Driveway Standard Detail	P28
Turnout Standard Detail	P29



Title Sheet

2026 JDPPJ Overlay Project #2025009

Drawn by: BJB

Scale:

p1



Vicinity Map
Bebee Road

2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 101 to Newcomer


Drawn by: BJB

Scale: NTS

p2


Existing Section

Sta 0+30 to 59+67



Leveling Course



Sta 2+30 to 59+67



Finished Section

(Wearing Course)

Sta 2+30 to 59+67



**Existing & Finished
Typical Sections
Beebe Road**



2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 101 to Newcomer

Drawn by: BJB

Scale: NTS

p3



STATE OF LOUISIANA
BENJAMIN J. BOUDREAU
License No. 0038527
PROFESSIONAL ENGINEER
IN
CIVIL ENGINEERING
4-27-26



**Existing & Finished
Typical Sections
Beebe Road**


2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 101 to Newcomer

Drawn by: BJB

Scale: NTS

p4



Vicinity Map
Carl Hoppe Road

2026 JDPPJ Overlay Project #2025009

Roadway Limits: US 165 to Leger Rd.


Drawn by: BJB

Scale: NTS

p5


Existing Section

Sta 3+15 to 12+19




Leveling Course

Sta 3+15 to 12+19



Finished Section

(Wearing Course)
Sta 3+15 to 12+19



**Existing & Finished
Typical Sections
Carl Hoppe Road**


2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 101 to Newcomer

Drawn by: BJB

Scale: NTS

p6



Vicinity Map
F.E Landry Road

2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 26 to Bert Rd.


Drawn by: BJB

Scale: NTS

p7


Existing Section

Sta 0+40 to 82+30



Leveling Course


Sta 2+40 to 82+30



Finished Section

(Wearing Course)

Sta 2+40 to 82+30



**Existing & Finished
Typical Sections
FE Landry Road**



2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 26 to Bert Rd.

Drawn by: BJB

Scale: NTS

p8



STATE OF LOUISIANA
BENJAMIN J. BOUDREAU
License No. 0038527
PROFESSIONAL ENGINEER
IN
CIVIL ENGINEERING
Benjamin J. Boudreau
4-27-66




**Existing & Finished
Typical Sections
FE Landry Road**

2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 26 to Bert Rd.

Drawn by: BJB

Scale: NTS




BENJAMIN J. SOUDREAUX
 License No. 0038527
 PROFESSIONAL ENGINEER
 IN
 CIVIL ENGINEERING
[Signature]
 4-27-26

	Vicinity Map Dave Williams Road		2026 JDPPJ Overlay Project #2025009	
	Roadway Limits: LA 26 to Dama Landry Rd.			
	Drawn by: BJB	Scale: NTS	p10	


Existing Section

Sta 1+05 to 112+36



Leveling Course


Sta 3+05 to 112+36



Finished Section

(Wearing Course)

Sta 3+05 to 112+36



**Existing & Finished
Typical Sections
Dave Williams Road**


2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 26 to Dama Landry Rd.


Drawn by: BJB

Scale: NTS


p11



STATE OF LOUISIANA
 BENJAMIN J. BOUDREAUX
 License No. 0038527
 PROFESSIONAL ENGINEER
 CIVIL ENGINEERING
[Signature]
 4-27-26


	Existing & Finished Typical Sections Dave Williams Road	2026 JDPPJ Overlay Project #2025009	
		Roadway Limits: LA 26 to Dama Landry Rd.	
		Drawn by: BJB	Scale: NTS



	Vicinity Map Augustine Road		2026 JDPPJ Overlay Project #2025009	
	Roadway Limits: LA 101 for 0.64 Miles			
	Drawn by: BJB	Scale: NTS	p13	

Existing Section


Sta 0+35 to 34+07



Leveling Course

Sta 2+35 to 34+07

Except Bridge:
Sta 22+74 to 23+07




Finished Section

(Wearing Course)

Sta 2+35 to 34+07

Include Bridge:
Sta 22+74 to 23+07



**Existing & Finished
Typical Sections
Augustine Road**


2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 101 for 0.64 Miles.


Drawn by: BJB

Scale: NTS

Leveling Course
Sta 0+35 to 2+35



Finished Section
(Wearing Course)
Sta 0+35 to 2+35



STATE OF LOUISIANA
BENJAMIN J. BOUDREAU
LICENSE No. 0038527
PROFESSIONAL ENGINEER
IN
CIVIL ENGINEERING
4-27-26



**Existing & Finished
Typical Sections
Augustine Road**


2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 101 for 0.64 Miles.

Drawn by: BJB

Scale: NTS

p15



Vicinity Map
Dama Landry Road

2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 102 to Ardoin Rd.


Drawn by: BJB

Scale: NTS

p16


Existing Section

Sta 0+30 to 53+45



Leveling Course


Sta 2+30 to 53+45



Finished Section

(Wearing Course)

Sta 2+30 to 53+45



**Existing & Finished
Typical Sections
Dama Landry Road**



2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 102 to Ardoin Rd.

Drawn by: BJB

Scale: NTS

p17



STATE OF LOUISIANA
BENJAMIN J. BOUDREAU
License No. 0038527
PROFESSIONAL ENGINEER
IN
CIVIL ENGINEERING
4-27-26



**Existing & Finished
Typical Sections**
Dama Landry Road


2026 JDPPJ Overlay Project #2025009


Roadway Limits: LA 102 to Ardoin Rd.

Drawn by: BJB

Scale: NTS


p18



	Vicinity Map Dewolf Road	2026 JDPPJ Overlay Project #2025009	
		Roadway Limits: LA 101 to Newcomer Rd.	
		Drawn by: BJB	Scale: NTS


Existing Section

Sta 0+40 to 58+50



Leveling Course


Sta 2+40 to 58+50



Finished Section

(Wearing Course)

Sta 2+40 to 58+50



Benjamin J. Boudreaux
4-27-26



**Existing & Finished
Typical Sections
Dewolf Road**



2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 101 to Newcomer Rd.


Drawn by: BJB

Scale: NTS

p20



STATE OF LOUISIANA
BENJAMIN J. BOUDREAU
License No. 0038527
PROFESSIONAL ENGINEER
IN
CIVIL ENGINEERING
4-27-26

	<p>Existing & Finished Typical Sections Dewolf Road</p>	<p>2026 JDPPJ Overlay Project #2025009</p>	
		<p>Roadway Limits: LA 101 to Newcomer Rd.</p>	
		<p>Drawn by: BJB</p>	<p>Scale: NTS</p>



Vicinity Map
Liberty Cemetery

2026 JDPPJ Overlay Project #2025009

Roadway Limits: Cemetery to 0.3 miles S of Aylsworth


Drawn by: BJB

Scale: NTS

p22

Existing Section


Sta 1+80 to 83+46



STATE OF LOUISIANA
 BENJAMIN J. BOUDREAU
 License No. 0036527
 PROFESSIONAL ENGINEER
 IN
 CIVIL ENGINEERING
[Signature]
 4-27-26

Leveling Course


Sta 1+80 to 83+46




Finished Section


(Wearing Course)

Sta 1+80 to 83+46



	Existing & Finished		2026 JDPPJ Overlay Project #2025009	
	Typical Sections		Roadway Limits: Cemetery to 0.3 miles S of Aylsworth	
	Liberty Cemetery		Drawn by: BJB	Scale: NTS

STATE OF LOUISIANA
 BENJAMIN J. BOUDREAU
 License No. 0038527
 PROFESSIONAL ENGINEER
 IN
 CIVIL ENGINEERING
B. J. Boudreau
 4-27-26



Vicinity Map
 Cleopha Road

2026 JDPPJ Overlay Project #2025009


Roadway Limits: LA 26 to LA 102

Drawn by: BJB

Scale: NTS


Existing Section

Sta 0+40 to 53+18



Leveling Course


Sta 2+40 to 51+18



Finished Section

(Wearing Course)

Sta 2+40 to 51+18



**Existing & Finished
Typical Sections
Cleopha Road**

2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 26 to LA 102


Drawn by: BJB

Scale: NTS

p25


Leveling Course

Sta 0+40 to 2+40 &
Sta 51+18 to 53+18



Finished Section

(Wearing Course)
Sta 0+40 to 2+40 &
Sta 51+18 to 53+18



[Signature]
4-27-26



**Existing & Finished
Typical Sections
Cleopha Road**

2026 JDPPJ Overlay Project #2025009

Roadway Limits: LA 26 to LA 102

Drawn by: BJB


Scale: NTS

p26





Butt Joint Milling



Note: The transition distance may be reduced if vertical slope exist in transition area.




Butt Joint Overlay




	<h2>Butt Joint Standard Detail</h2>	2026 JDPPJ Overlay Project #2025009		
		Roadway Limits:		
		Drawn by: BJB	Scale: NTS	p27



Section A-A
(Hard Surface Driveway)



Section A-A
(Aggregate Driveway)
Note: Aggregate may be added at edge of apron to improve transition from Driveway to apron.



**Driveway
Standard Detail**


2026 JDPPJ Overlay Project #2025009

Roadway Limits:


Drawn by: BJB

Scale: NTS

p28





Section A-A
(Hard Surface Turnout)



Section A-A
(Aggregate Turnout)

Note: Aggregate may be added at edge of apron to improve transition from Turnout to apron.



Benjamin J. Boudreaux
4-27-26



**Turnout
Standard Detail**

2026 JDPPJ Overlay Project #2025009

Roadway Limits:

Drawn by: BJB

Scale: NTS

p29

ATTACHMENT C – ASPHALT COOP CONTRACT



STATE OF LOUISIANA

Competitive Contract

Vendor: 310007382
Company
PRAIRIE CONTRACTORS LLC
1334 HUNTINGTON DR
OPELOUSAS LA 70571
Phone : 337-948-3229
Fax : 337-942-1717

T Number:
Version: 1
LAPS Contract: No
Fiscal Year: 2026
Min.Ord.Value: 0.00
Distributor Contract: No
PCard:No
Co-op Agreement:Yes

Contract number: 4400034895
Description: DOTD Asphaltic Mixture f/Hot Application

Buyer Information

Name: CURTIS LOWE
Tel Number: 225-379-1410
Email: curtis.lowe@la.gov

SEBD Vendor: No
SEHI Vendor: No
VSE Vendor: No
DVSE Vendor: No
Contract Valid Dates:
03/01/2026 - 08/31/2026

Supplier Text: Contract to furnish labor, materials, and services required to produce Asphaltic Mixture for Hot Application, which is acceptable to the Department of Transportation and Development. Contract is for a period of six (6) months beginning March 1, 2026 through August 31, 2026.

- Approved Materials List: Aggregates
- Approved Materials List: Asphaltic Materials
- MS Spec 164-002, Revised 1/28/2026 – Asphaltic Mixtures for Hot Application
- MS Spec 164-004, Revised 1/28/2026 – Polymer Modified Asphaltic Materials

PRE-QUALIFICATION:

After award of the contract, it will be the responsibility of each District to make sure the bidder's plant is still certified before material is picked up at various plant locations throughout the life of the contract.

GUARANTEE AND LIABILITY:

The contractor agrees to guarantee the following:

1. The supplies delivered are free from defects in design and construction.
2. The supplies are the manufacturer's standard design and construction and that no changes or substitutions have been made in the items listed in contract.

The contractor holds and saves the State, its officers, agents, and employees harmless from liability of any kind, from any claims, suites, costs, or penalties for infringement or use of licensed or patented products including cost and expenses on account of any patented or unpatented invention, articles, devices or appliances

Recommending Approval: _____

Approved by: _____

manufactured or used in the performance of this contract, including use by the government.

The contractor agrees to replace, at no cost to the Department, all defective materials or supplies delivered under the contract. All transportation charges covering return and replacement shall be paid by the contractor.

Any material that fails to conform to any part of the specifications shall result in rejection of the material supplied, whether said failure is noted upon delivery, during testing, or in the field at an installation site.

SPECIAL INSTRUCTIONS:

Price is per ton.

This is not an order to deliver. No specific quantities are given or guaranteed. Material will be ordered as needed. The Department reserves the right to increase or decrease quantities at the same prices, terms and conditions for the life of the contract.

Both regular and polymer modified asphaltic mixture will be available for use by the Department. It will be at each District Administrator's discretion as to which product to purchase. All Asphaltic Mixture for Hot Application shall be sampled and accepted in accordance with the standard method of sampling asphaltic materials as outlined in the Department's Sampling Manual.

Note: It will be up to the District Administrator to select a certified plant closest to the jobsite based upon the unit price bid and the current mileage factor. Mileage will be computed on the basis of \$0.15 per mile for the first 41 miles, then \$0.75 per mile thereafter.

Aggregates must be from an approved source listed on Approved Materials List: Aggregates.

Polymer Modified Asphalt PG70-22M and PG76-22M material must be from an approved source listed on Approved Materials List: Asphaltic Materials.

MATERIAL AVAILABILITY:

The successful bidder(s) will be required to have on hand or immediately available an adequate supply of Asphaltic Mixture for Hot Application in order to meet the Department's requirements, as ordered, where ordered, during the life of the contract.

It will be the responsibility of the contractor to give the District Administrator a forty-eight (48) hour notice as to when the plant will be out of operation and/or in the event that the plant is shut down permanently.

PURCHASE ORDERS:

Purchase orders will be issued by the Department. Each Purchase order will state an actual or estimated quantity that is required and all other pertinent data necessary for the contractor. In no event shall material be supplied without proper authorization.

INVOICES:

At the time of pick-up, the contractor is to make a receipt on his own form showing complete description, the exact quantity supplied, unit price and extension. Such receipt must make reference to the Purchase Order Number.

Upon acceptance by the Department, the contractor shall bill the Department by means of an invoice and such invoice shall make reference to the Purchase Order Number on which material was supplied.

Invoices shall be submitted by the contractor directly to the address shown on the Purchase Order.

Invoice price must agree with contract price.

Invoices will be paid by the Department within the discount period or within thirty (30) calendar days from receipt of correct invoice. If contractor proposes a discount, discount period will start from receipt of correct invoice.

PAYMENT:

In an effort to increase efficiencies and effectiveness as well as be strategic in utilizing technology and resources, DOTD strongly encourages vendors to participate in accepting Electronic Funds Transfer (EFT) payments.

EFT payments are sent from the State's bank directly to the payee's bank each weekday. The only requirement is that you have an active checking or savings account at a financial institution that can accept Automated Clearing House (ACH) credit files and remittance information electronically. Additional information is available at <https://www.doa.la.gov/doa/osrap/vendor-information/>

TERMINATION OF CONTRACT:

The Department reserves the right to immediately terminate this contract prior to the end of the contract period for unsatisfactory performance, unsatisfactory delivery, unsatisfactory service, failure to meet specifications, misrepresentation by the contractor, fraud, collusion, conspiracy, or other unlawful means of obtaining any contract with the State, conflict of contract provisions with constitutional or statutory provisions of State or Federal Law, and/or any breach of contract.

The Department reserves the right to terminate this contract prior to the end of the contract period upon giving a thirty (30) day written notice to the contractor if it is considered in the best interest of the Department.

Successful contractor may request cancellation of this contract upon giving a thirty (30) day written notice to the DOTD Procurement Director.

All orders supplied in accordance with the specifications, terms and conditions of the contract prior to the effective date of any termination shall be paid for by the Department in accordance with the terms of the contract, whereupon all obligations of both parties to the contract shall cease.

Guarantees shall apply to all items delivered prior to termination.

BIDDERS CERTIFICATION OF EEOC AND ADA COMPLIANCE:

The Department of Transportation and Development and the State of Louisiana is an equal opportunity employer and looks to its contractors, subcontractors, vendors, and suppliers to take affirmative action to affect this commitment in its operations.

The contractor agrees to abide by the requirements of the following as applicable: Titles VI and VII of the Civil Rights Act of 1964, as amended; the Equal Employment Opportunity Act of 1972, as amended; Federal Executive Order 11246, as amended; Section 504 of the Rehabilitation Act of 1973, as amended; the Vietnam Era Veteran's Readjustment Assistance Act of 1974, as amended; Title IX of the Education Amendments of 1972; the Age Discrimination Act of 1975; the Fair Housing Act of 1968, as amended; the Americans with Disabilities Act of 1990, as amended; and Title II of the Genetic Information Nondiscrimination Act of 2008.

The contractor agrees not to discriminate in its employment practices, and shall render services under this contract without regard to race, color, age, religion, sex, sexual orientation, national origin, veteran status, genetic information, political affiliation or disabilities.

Any act of discrimination committed by contractor, or failure to comply with these statutory obligations when applicable shall be grounds for termination of this contract.

Contractor agrees to keep informed of and comply with all Federal, State and local laws, ordinances and regulations which affect his employees or prospective employees.

Notice to Vendor:

Line	Material No. <hr style="border-top: 1px dashed black;"/> Supplier Part No.	Description	Prod. Cat.	UOM	Net Price	Discount
1	11505	ASPHALTIC MIXTURE,F/HOT APPL,REGULAR PLANT LOCATION: OPELOUSAS, LA PRODUCER/ SUPPLIER CODE:PS00000590 REGULAR HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164-002, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	107.00000	
2	11505	ASPHALTIC MIXTURE,F/HOT APPL,REGULAR PLANT LOCATION: LEESVILLE, LA PRODUCER/ SUPPLIER CODE:PS00004140 REGULAR HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164-002, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	103.00000	
3	11505	ASPHALTIC MIXTURE,F/HOT APPL,REGULAR PLANT LOCATION: WESTLAKE, LA PRODUCER/ SUPPLIER CODE:PS00000750 REGULAR HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164-002, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	104.00000	
4	11505	ASPHALTIC MIXTURE,F/HOT APPL,REGULAR PLANT LOCATION: NEW IBERIA, LA PRODUCER/ SUPPLIER CODE:PS00000610 REGULAR HOT MIX MUST MEET THE	30121500	TON	101.00000	

Line	Material No. ----- Supplier Part No.	Description	Prod. Cat.	UOM	Net Price	Discount
		REQUIREMENTS OF DOTD MS SPEC 164-002, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL				
5	11505	ASPHALTIC MIXTURE,F/HOT APPL,REGULAR PLANT LOCATION: LAFAYETTE, LA PRODUCER/ SUPPLIER CODE:PS00000630 REGULAR HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164-002, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	102.00000	
6	11506	ASPHALTIC MIXTURE,F/HOT APPL,PG70-22M PLANT LOCATION: OPELOUSAS, LA PRODUCER/ SUPPLIER CODE: PS00000590 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	116.00000	
7	11506	ASPHALTIC MIXTURE,F/HOT APPL,PG70-22M PLANT LOCATION: LEESVILLE, LA PRODUCER/ SUPPLIER CODE:PS00004140 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	114.00000	

Line	Material No. ----- Supplier Part No.	Description	Prod. Cat.	UOM	Net Price	Discount
8	11506	ASPHALTIC MIXTURE,F/HOT APPL,PG70-22M PLANT LOCATION: WESTLAKE, LA PRODUCER/ SUPPLIER CODE: PS00000750 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	113.00000	
9	11506	ASPHALTIC MIXTURE,F/HOT APPL,PG70-22M PLANT LOCATION: NEW IBERIA, LA PRODUCER/ SUPPLIER CODE: PS00000610 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	108.00000	
10	11506	ASPHALTIC MIXTURE,F/HOT APPL,PG70-22M PLANT LOCATION: LAFAYETTE, LA PRODUCER/ SUPPLIER CODE: PS00000630 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	112.00000	
11	11507	ASPHALTIC MIXTURE,F/HOT APPL,PG76-22M PLANT LOCATION: OPELOUSAS, LA PRODUCER/ SUPPLIER CODE: PS00000590 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004,	30121500	TON	119.00000	

Line	Material No. ----- Supplier Part No.	Description	Prod. Cat.	UOM	Net Price	Discount
		REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL				
12	11507	ASPHALTIC MIXTURE,F/HOT APPL,PG76-22M PLANT LOCATION: LEESVILLE, LA PRODUCER/ SUPPLIER CODE:PS00004140 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	118.00000	
13	11507	ASPHALTIC MIXTURE,F/HOT APPL,PG76-22M PLANT LOCATION: WESTLAKE, LA PRODUCER/ SUPPLIER CODE:PS0000750 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	114.00000	
14	11507	ASPHALTIC MIXTURE,F/HOT APPL,PG76-22M PLANT LOCATION: NEW IBERIA, LA PRODUCER/ SUPPLIER CODE: PS00000630 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	109.00000	
15	11507	ASPHALTIC MIXTURE,F/HOT APPL,PG76-22M PLANT LOCATION: NEW IBERIA, LA PRODUCER/ SUPPLIER CODE: PS00000630 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL	30121500	TON	119.00000	

Line	Material No. ----- Supplier Part No.	Description	Prod. Cat.	UOM	Net Price	Discount
		PLANT LOCATION: LAFAYETTE, LA PRODUCER/ SUPPLIER CODE: PS00000630 POLYMER MODIFIED HOT MIX MUST MEET THE REQUIREMENTS OF DOTD MS SPEC 164- 004, REVISED 1/28/2026 AND USE APPROVED PRODUCTS FROM THE APPROVED MATERIALS LIST (AML) FOR AGGREGATES AND THE APPROVED MATERIALS LIST (AML) FOR ASPHALTIC MATERIAL				

Standard Terms and Conditions

1. THIS IS NOT AN ORDER TO SHIP (OR BEGIN SERVICE). A CONTRACT RELEASE OR PURCHASE ORDER MUST BE ISSUED BEFORE YOU ARE AUTHORIZED TO SHIP (OR BEGIN SERVICE).
2. THIS IS NOTICE THAT THE CONTRACT REFERENCED ABOVE HAS BEEN AWARDED TO YOU BASED ON THE BID (OR PROPOSAL) SUBMITTED. ALL TERMS, CONDITIONS, AND SPECIFICATIONS OF THE SOLICITATION WILL APPLY TO ALL ORDERS.
3. ANY AGENCY AUTHORIZED TO PURCHASE FROM THIS CONTRACT MUST ISSUE AN ORDER AND REFERENCE THE CONTRACT NUMBER, LINE NUMBER AND COMMODITY ITEM NUMBER FOR EACH ITEM.
4. CHANGES IN ITEMS TO BE FURNISHED ARE NOT PERMITTED (UNLESS APPROVED BY THE ISSUING AGENCY PRIOR TO DELIVERY). PRIOR APPROVAL MUST ALSO BE OBTAINED BEFORE DISTRIBUTORS CAN BE ADDED OR DELETED.
5. IF A DISTRIBUTOR LIST WAS SUBMITTED, CONTRACTOR MUST SEND COPIES OF THIS AWARD TO EACH DISTRIBUTOR.
6. QUANTITIES LISTED ARE ESTIMATED AND NO QUANTITIES ARE GUARANTEED (UNLESS "COMMITTED VOLUME" IS SPECIFICALLY STATED). CONTRACTOR MUST SUPPLY ACTUAL REQUIREMENTS ORDERED AT THE CONTRACT PRICE AWARDED.
7. COMPLIANCE WITH CIVIL RIGHTS LAWS.

THE CONTRACTOR AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE IV AND TITLE VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, THE FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VIETNAM ERA VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND CONTRACTOR AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. CONTRACTOR AGREES TO NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER THIS AGREEMENT AND ANY CONTRACT ENTERED INTO AS A RESULT OF THIS AGREEMENT, WITHOUT REGARD TO RACE, COLOR, RELIGION, SEX, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY CONTRACTOR OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE SHALL BE GROUNDS FOR TERMINATION OF THIS AGREEMENT AND ANY CONTRACT ENTERED INTO AS A RESULT OF THIS AGREEMENT.

8. IN ACCORDANCE WITH LA R.S. 39:1602.1, FOR ANY CONTRACTS WITH A VALUE OF \$100,000 OR MORE AND FOR ANY VENDOR WITH 5 OR MORE EMPLOYEES, THE VENDOR CERTIFIES THAT IT IS NOT ENGAGING IN A BOYCOTT OF ISRAEL AND IT WILL, FOR THE DURATION OF ITS CONTRACTUAL OBLIGATIONS, REFRAIN FROM A BOYCOTT OF ISRAEL.

9. CONTRACT CANCELLATION

THE STATE OF LOUISIANA HAS THE RIGHT TO TERMINATE THE CONTRACT IMMEDIATELY FOR ANY OF THE FOLLOWING REASONS: (A) MISREPRESENTATION BY THE CONTRACTOR; (B) CONTRACTOR'S FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE OF LOUISIANA; (C) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (D) ABUSIVE OR BELLIGERENT CONDUCT BY CONTRACTOR TOWARDS AN EMPLOYEE OR AGENT OF THE STATE; (E) CONTRACTOR'S INTENTIONAL VIOLATION OF THE PROCUREMENT CODE (LA. R.S. 39:1551 ET SEQ.) AND ITS CORRESPONDING REGULATIONS; OR, (F) ANY LISTED REASON FOR DEBARMENT UNDER LA. R.S. 39:1672.

THE STATE OF LOUISIANA MAY TERMINATE THE CONTRACT FOR CONVENIENCE AT ANY TIME (1) BY GIVING THIRTY (30) DAYS WRITTEN NOTICE TO THE CONTRACTOR OF SUCH TERMINATION; OR (2) BY NEGOTIATING WITH THE CONTRACTOR AN EFFECTIVE DATE. THE STATE SHALL PAY CONTRACTOR FOR, IF APPLICABLE: (A) DELIVERABLES IN PROGRESS; (B) THE PERCENTAGE THAT HAS BEEN COMPLETED SATISFACTORILY; AND, (C) FOR TRANSACTION-BASED SERVICES UP

TO THE DATE OF TERMINATION, TO THE EXTENT WORK HAS BEEN PERFORMED SATISFACTORILY.

THE STATE OF LOUISIANA HAS THE RIGHT TO TERMINATE THE CONTRACT FOR CAUSE BY GIVING THIRTY (30) DAYS WRITTEN NOTICE TO THE CONTRACTOR OF SUCH TERMINATION FOR ANY OF THE FOLLOWING NON-EXCLUSIVE REASONS: (A) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (B) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; OR, (C) ANY OTHER BREACH OF CONTRACT.